

News Articles Videos Images Books

Health & Medicine Mind & Brain Plants & Animals Earth & Climate Space & Time Matter & Energy

Science News

Blog □ Cite

Cite

Just II Genet

Scier



Atmo Part Phys Spitz Mete Sum

more

Jet Contrails To Be Significant Climate Factor By 2050

ScienceDaily (Jun. 24, 1999) —

WASHINGTON -- By the year 2050, increased flights by jet airplanes will impact global climate through the greater number of contrails they will produce, according to a new study in the July 1 issue of the journal, Geophysical Research Letters. Contrails are ice clouds created by jet engines and are short lived in dry air, but can persist for hours in moist air and become indistinguishable from natural cirrus clouds.

See also:

Earth & Climate

- Environmental IssuesGlobal Warmin
- Global Warming
- Climate

Trends & Issues

Reference

- Consensus of scientists regarding global warming
- Greenland ice sheet
- Scientific opinion on climate change
- Antarctic ice sheet

A research team of American and German scientists, headed by Patrick Minnis of the NASA Langley Research Center in Hampton, Virginia, reports that contrails cause a warming of the Earth's atmosphere, although their impact is currently small as compared to other greenhouse effects. They predict, however, that it may grow by a factor of six over the next 50 years. In 1992, for example, contrails added an estimated 0.02 watts of warming per square meter globally, about one percent of all manmade greenhouse effects.

Air traffic and, therefore, contrails, are not evenly distributed around the

globe. They are concentrated over parts of the United States and Europe, where local warming reaches up to 0.7 watts per

Related Stories

NASA Scientists Use Empty Skies To Study Climate Change (May 22, 2002) — When the tragic events of September 2001 temporarily halted U.S. commercial air traffic, it created an opportunity to study the relationship between aviation and clouds. From satellite observations ... > read more



Clouds Caused By Aircraft Exhaust May Warm The U.S. Climate (Apr. 28, 2004) — NASA scientists have found that cirrus clouds, formed by

contrails from aircraft engine exhaust, are capable of increasing average surface temperatures enough to account for a warming trend in the ... > read more

Jet Contrails Alter Average Daily Temperature Range (Aug. 8, 2002) — For three days after September 11, the Federal Aviation Administration grounded commercial aircraft in the U.S., stranding travelers, hindering mail delivery and interrupting courier service, but for ... > read more



Climate Change And The Future Of Air Travel (Feb. 5, 2005) — Researchers are investigating how air travel can be adapted to ease its impact on the

environment. The investigation focuses on how aircraft can avoid creating vapour trails, also known as contrails. ... > read more



Cirrus Disappearance: Warming Might
Thin Heat-trapping Clouds (Nov. 5, 2007)
The widely accepted (albeit upproven)

— The widely accepted (albeit unproven) theory that manmade global warming will

accelerate itself by creating more heat-trapping clouds is challenged by new research. Instead of creating more clouds, ... > read more

Brea

Schi exhu poet Stud was Large, linear contrails can be observed in satellite imagery.

determined, it is computed from traffic and weather data to

currently cover up to 3.8 percent and 5.5 percent of the sky,

amount to 0.1 percent. In the parts of Europe and eastern North

Although their total global coverage has not yet been

America with the heaviest air traffic, however, contrails

raise these values.

respectively.

Search ScienceDaily

Number of stories in archives: 44,032

Muta to m of TI

Aust finds junk

*mor*e
In Oth

Ligh glob Hou

Turk kills Iraq

Ex-N dod(resig

Cha agai Had

Colc free Beta

Pue

gov€ inno

One Texa

Cub more

Сор

Free

Get the newsle hourly

Ema

RSS

Search

Feed

Tell us welcor

Minnis and his colleagues report that global air traffic rose by over seven percent per year from 1994 to 1997, in terms of passenger miles flown. Growth is likely to continue, meaning contrails will play a larger role in future climates than they do today. Taking into account such factors as number of flights per day, fuel consumption, and altitudes flown, they conclude that by 2050, average contrail coverage over Europe will be four times higher than at present, or about 4.6 percent. In the United States, the increase will be 2.6 times current levels, or 3.7 percent coverage; and in Asia, the increase will be ten times current levels, or 1.2 percent.

The researchers emphasize that these are conservative estimates, which take into account only the thicker contrails that can be readily observed. Thinner contrails and contrails that have developed into natural-looking cirrus clouds also affect climate, but their impact cannot yet be predicted. Other factors that would play a role include natural cloud cover, overlapping of contrails, and size of the ice particles that form in them. They call for further research into the full extent of current contrail coverage and the specific effect of contrails in forcing climate change.

Adapted from materials provided by American Geophysical Union.

Need to cite this story in your essay, paper, or report? Use one of the following formats:

APA

American Geophysical Union (1999, June 24). Jet Contrails To Be Significant Climate Factor By 2050, Science Pails, Retrieved March 20

O MLA

By 2050. *ScienceDaily*. Retrieved March 29, 2008, from http://www.sciencedaily.com/releases/1999/06/990624080829.htm

Find with keyword(s):

Enter a keyword or phrase to search ScienceDaily's archives for related news topics, the latest news stories, reference articles, science videos, images, and books.

Comm

Click t

About This Site | Editorial Staff | Awards & Reviews | Contribute News | Advertise With Us | Privacy Policy | Terms of Use

Copyright © 1995-2008 ScienceDaily LLC — All rights reserved — Contact: editor@sciencedaily.com.